■ 자외선 휠터 (Ultraviolet Filter)

○ UVF-G6-S







1. 용 도 : 수중의 세균및 미생물 살균


2. 규 격: AC110~220V 4W, 6W, 8W, 11W, 20W, 주문싸이즈


3. 작 용: 자외선등에서 조사되는 광파장 253.7nm의 광선을 수조나 정수된물속에 조사하여 외부로부터 침투하는 곰팡이, 미생물, 바이러스, 박테리아등의 세포핵을 파괴하여 자기복제능력을 상실케함으로써 살균효과을 얻는다

○ UVF-G4-A









단위mm

UVF↓	L 1	L 2	L 3	Voltage	Wattage	Output	Life(Hrs)
G4-A	217.5	133.8	57.0		4 W	0.5W	3000
G4-P	226.0	129.0	42.8	AC110V	4 W	0.5W	3000
G6-A	297.5	213.0	57.0		6 W	1.0W	3000
G6-S	248.0	192.0	38.0	AC220V	6 W	1.0W	3000
G8-S	328.0	265.0	38.0	AOZZOV	8 W	1.6W	3000
G6-Sa	255.0	170.0	34.0		5.9W	1.7W	8000

UVF-G6-S

UVF-G8-S






UVF-G6-Sa

UVF-G4-A





UVF-G6-A

UVF-G4-P

